THE ANNALS
of
STATISTICS

AN OFFICIAL JOURNAL OF THE INSTITUTE OF
MATHEMATICAL STATISTICS

VOLUME 4

1976

CONTENTS OF VOLUME 4

ARTICLES AND SHORT COMMUNICATIONS

AGRAWAL, H. L. AND BOOB, B. S. A note on method of construction of affine resolvable balanced incomplete block designs 954–955

ALAM, KHURSHEED, RIZVI, M. HASEEB AND SOLOMON, HERBERT. Selection of largest multiple correlation coefficients: exact sample size case 614–620

ALBERS, W., BICKEL, P. J. AND VAN ZWET, W. R. Asymptotic expansions for the power of distribution free tests in the one-sample problem .. 108–156

ALBERT, ARTHUR. When is a sum of squares an analysis of variance? 775–778

ANBAR, DAN. An application of a theorem of Robbins and Siegmund ... 1018–1021

ANDERSON, T. W. AND TAYLOR, JOHN B. Strong consistency of least squares estimates in normal linear regression 788–790

ANTILLE, ANDRÉ. Asymptotic linearity of Wilcoxon signed-rank statistics 175–186

ARNOLD, STEVEN F. Applications of products to the generalized compound symmetry problem 227–233

ATWOOD, CORWIN L. Convergent design sequences, for sufficiently regular optimality criteria 1124–1138

AUMANN, ROBERT J. Agreeing to disagree 1236–1239

BAKSALARY, J. K. AND KALA, R. Extensions of Milliken's estimability criterion 639–641

BEHNEN, KONRAD. Asymptotic comparison of rank tests for the regression problem when ties are present 157–174

BERGER, JAMES O. Tail minimaxity in location vector problems and its applications 33–50

BERGER, JAMES O. Admissible minimax estimation of a multivariate normal mean with arbitrary quadratic loss 223–226

BERGER, JAMES O. Inadmissibility results for generalized Bayes estimators of coordinates of a location vector 302–333

BERGER, JAMES O. Admissibility results for generalized Bayes estimators of coordinates of a location vector 334–356

BERGER, JAMES O. Inadmissibility results for the best invariant estimator of two coordinates of a location vector 1065–1076

BERGER, JAMES O. AND BOCK, M. E. Combining independent normal mean estimation problems with unknown variances 642–648

BERK, ROBERT H. Asymptotic efficiencies of sequential tests 891–911

BHATTACHARYA, P. K. An invariance principle in regression analysis .. 621–624

BICKEL, P. J. AND LEHMANN, E. L. Descriptive statistics for nonparametric models. III. Dispersion 1139–1158

BICKEL, P. J., VAN ZWET, W. R. AND ALBERS, W. Asymptotic expan-

sions for the power of distribution free tests in the one-sample problem 108–156
BIRKES, DAVID, DODGE, YADOLAH AND SEELY, JUSTUS. Spanning sets for estimable contrasts in classification models 86–107
BIRKES, DAVID, OLSEN, ANTHONY AND SEELY, JUSTUS. Invariant quadratic unbiased estimation for two variance components 878–890
BLACKWELL, DAVID. The stochastic processes of Borel gambling and dynamic programming 370–374
BLUMENTHAL, SAUL. Sequential estimation of the largest normal mean when the variance is known 1077–1087
BOCK, M. E. AND BERGER, JAMES O. Combining independent normal mean estimation problems with unknown variances 642–648
BONDAR, JAMES V. Borel cross-sections and maximal invariants 866–877
BONDESSON, LENNART. When are the mean and the Studentized differences independent? 668–672
BOOB, B. S. AND AGRAWAL, H. L. A note on method of construction of affine resolvable balanced incomplete block designs 954–955
BRAUN, HENRY I. Weak convergence of sequential linear rank statistics 554–575
BROWN, K. G. Asymptotic behavior of MINQUE-type estimators of variance components 746–754
BROWN, L. D., COHEN, ARTHUR AND STRAWDERMAN, W. E. A complete class theorem for strict monotone likelihood ratio with applications 712–722
BUEHLER, ROBERT J. Coherent preferences 1051–1064
CASADY, ROBERT J. AND CRYER, JONATHAN D. Monotone percentile regression 532–541
CHATTOPADHYAY, A. K., PILLAI, K. C. S. AND LI, HUNG C. Maximization of an integral of a matrix function and asymptotic expansions of distributions of latent roots of two matrices 796–806
CLINGER, WILLIAM AND VAN NESS, JOHN W. On unequally spaced time points in time series 736–745
COHEN, ARTHUR, STRAWDERMAN, W. E. AND BROWN, L. D. A complete class theorem for strict monotone likelihood ratio with applications 712–722
COLLINS, JOHN R. Robust estimation of a location parameter in the presence of asymmetry 68–85
CRYER, JONATHAN D. AND CASADY, ROBERT J. Monotone percentile regression 532–541
DEELY, J. J. AND ZIMMER, W. J. Asymptotic optimality of the empirical Bayes procedure 576–580
DE FINETTI, BRUNO. Discussion of "On rereading R. A. Fisher" by Leonard J. Savage 485–488
DERIN, HALUK, THOMAS, JOHN B. AND TYAN, SHU-GWEI. Two necessary

conditions on the representation of bivariate distributions by polynomials 216–222
DEVORE, JAY L. A note on the estimation of parameters in a Bernoulli model with dependence 990–992
DHARMADHIKARI, S. W. AND JOGDEO, KUMAR. Multivariate unimodality 607–613
DODGE, YADOLAH, SEELY, JUSTUS AND BIRKES, DAVID. Spanning sets for estimable contrasts in classification models 86–107
DOSHI, BHARAT T. Continuous time control of Markov processes on an arbitrary state space: discounted rewards 1219–1235
DRYGAS, HILMAR. Gauss-Markov estimation for multivariate linear models with missing observations 779–787
EFRON, B. Discussion of "On rereading R. A. Fisher" by Leonard J. Savage 483–484
EFRON, BRADLEY AND MORRIS, CARL. Families of minimax estimators of the mean of a multivariate normal distribution 11–21
EFRON, BRADLEY AND MORRIS, CARL. Multivariate empirical Bayes and estimation of covariance matrices 22–32
EISENBERG, BENNETT, GHOSH, B. K. AND SIMONS, GORDON. Properties of generalized sequential probability ratio tests 237–251
EISENHART, CHURCHILL. Discussion of "On rereading R. A. Fisher" by Leonard J. Savage 484
ERICKSON, R. V. AND KOUL, H. L. L_1 rates of convergence for linear rank statistics 771–774
FENECH, ALAN PAUL. Asymptotically efficient estimation of location for a symmetric stable law 1088–1100
FERGUSON, THOMAS S. Stopping a sum during a success run 252–264
FLYNN, JAMES. Conditions for the equivalence of optimality criteria in dynamic programming 936–953
FRASER, D. A. S. Discussion of "On rereading R. A. Fisher" by Leonard J. Savage 488–489
FUJII, YOSHIO. An upper bound of resolution in symmetrical fractional factorial designs 662–667
GHOSH, B. K. AND SEN, P. K. Comparison of some bounds in estimation theory 755–765
GHOSH, B. K., SIMONS, GORDON AND EISENBERG, BENNETT. Properties of generalized sequential probability ratio tests 237–251
GILLILAND, DENNIS C., HANNAN, JAMES AND HUANG, J. S. Asymptotic solutions to the two state component compound decision problem, Bayes versus diffuse priors on proportions 1101–1112
GLESER, LEON JAY AND KUNTE, SUDHAKAR. On asymptotically optimal sequential Bayes interval estimation procedures 685–711
GODAMBE, V. P. Discussion of "On rereading R. A. Fisher" by Leonard J. Savage 490–492

GOOD, I. J. Discussion of "On rereading R. A. Fisher" by Leonard J. Savage 492–495
GOOD, I. J. On the application of symmetric Dirichlet distributions and their mixtures to contingency tables 1159–1189
HALL, GAINEFORD J., JR. Sequential search with random overlook probabilities 807–816
HANNAN, E. J. The asymptotic distribution of serial covariances 396–399
HANNAN, E. J. The convergence of some recursions 1258–1270
HANNAN, JAMES, HUANG, J. S. AND GILLILAND, DENNIS C. Asymptotic solutions to the two state component compound decision problem, Bayes versus diffuse priors on proportions 1101–1112
HANSON, D. L. AND PLEDGER, GORDON. Consistency in concave regression 1038–1050
HARVILLE, DAVID. Extension of the Gauss-Markov theorem to include the estimation of random effects 384–395
HECKER, H. A characterization of the asymptotic normality of linear combinations of order statistics from the uniform distribution 1244–1246
HIPP, C. AND MICHEL, R. On the Bernstein–v. Mises approximation of posterior distributions 972–980
HOLLANDER, MYLES AND KORWAR, RAMESH M. Empirical Bayes estimation of a distribution function 581–588
HUANG, J. S., GILLILAND, DENNIS C. AND HANNAN, JAMES. Asymptotic solutions to the two state component compound decision problem, Bayes versus diffuse priors on proportions 1101–1112
JIRINA, MILOSLAV. On the asymptotic normality of Kendall's rank correlation statistic 214–215
JOGDEO, KUMAR AND DHARMADHIKARI, S. W. Multivariate unimodality 607–613
JOHN, PETER W. M. Inequalities for semiregular group divisible designs 956–959
JOHN, PETER W. M. Robustness of balanced incomplete block designs 960–962
JOHNSON, RICHARD A. AND MEHROTRA, K. G. Asymptotic sufficiency and asymptotically most powerful tests for the two sample censored situation 589–596
JOSHI, V. M. Confidence intervals for linear functions of the normal parameters 413–418
JOSHI, V. M. On the attainment of the Cramér-Rao lower bound 998–1002
KAGEYAMA, SANPEI. Resolvability of block designs 655–661
KALA, R. AND BAKSALARY, J. K. Extensions of Milliken's estimability criterion 639–641
KEMPTHORNE, O. Discussion of "On rereading R. A. Fisher" by Leonard J. Savage 495–497

KHATRI, C. G., SHAH, K. R. AND RAGHAVARAO, D. Optimality of two and three factor designs 419–422
KIEFER, J. Admissibility of conditional confidence procedures 836–865
KIEFER, J. AND STUDDEN, W. J. Optimal designs for large degree polynomial regression 1113–1123
KORWAR, RAMESH M. AND HOLLANDER, MYLES. Empirical Bayes estimation of a distribution function 581–588
KOUL, H. L. AND ERICKSON, R. V. L_1 rates of convergence for linear rank statistics 771–774
KOUL, HIRA LAL AND STAUDTE, R. G., JR. Power bounds for a Smirnov statistic in testing the hypothesis of symmetry 924–935
KUNTE, SUDHAKAR AND GLESER, LEON JAY. On asymptotically optimal sequential Bayes interval estimation procedures 685–711
LAI, TZE LEUNG. On confidence sequences 265–280
LEHMANN, E. L. AND BICKEL, P. J. Descriptive statistics for nonparametric models. III. Dispersion 1139–1158
LI, HUNG C., CHATTOPADHYAY, A. K. AND PILLAI, K. C. S. Maximization of an integral of a matrix function and asymptotic expansions of distributions of latent roots of two matrices 796–806
LINDLEY, D. V. A class of utility functions 1–10
LORDEN, GARY. 2-SPRT's and the modified Kiefer-Weiss problem of minimizing an expected sample size 281–291
MARGOLIN, BARRY H. AND MAURER, WILLI. The multivariate inclusion-exclusion formula and order statistics from dependent variates 1190–1199
MARONNA, RICARDO ANTONIO. Robust *M*-estimators of multivariate location and scatter 51–67
MAURER, WILLI AND MARGOLIN, BARRY H. The multivariate inclusion-exclusion formula and order statistics from dependent variates 1190–1199
MEEDEN, GLEN. A special property of linear estimates of the normal mean 649–650
MEHROTRA, K. G. Asymptotic sufficiency and asymptotically most powerful tests for the two sample censored situation 589–596
MICHEL, R. AND HIPP, C. On the Bernstein—v. Mises approximation of posterior distributions 972–980
MORRIS, CARL AND EFRON, BRADLEY. Families of minimax estimators of the mean of a multivariate normal distribution 11–21
MORRIS, CARL AND EFRON, BRADLEY. Multivariate empirical Bayes and estimation of covariance matrices 22–32
O'BRYAN, THOMAS E. Some empirical Bayes results in the case of component problems with varying sample sizes for discrete exponential families 1290–1293

OLSEN, ANTHONY, SEELY, JUSTUS AND BIRKES, DAVID. Invariant quadratic unbiased estimation for two variance components 878–890
O'REILLY, FEDERICO J. On a criterion for simultaneous extrapolation in nonfull rank normal regression 625–628
PATHAK, P. K. Unbiased estimation in fixed cost sequential sampling schemes 1012–1017
PESOTAN, H., SRIVASTAVA, J. N. AND RAKTOE, B. L. On invariance and randomization in fractional replication 423–430
PILLAI, K. C. S., LI, HUNG C. AND CHATTOPADHYAY, A. K. Maximization of an integral of a matrix function and asymptotic expansions of distributions of latent roots of two matrices 796–806
PLEDGER, GORDON. Consistency in integral regression estimation with a triangular array of observation points 234–236
PLEDGER, GORDON AND HANSON, D. L. Consistency in concave regression 1038–1050
PRÁŠKOVÁ-VÍZKOVÁ, ZUZANA. Asymptotic expansion and a local limit theorem for a function of the Kendall rank correlation coefficient 597–606
PRATT, JOHN W. F. Y. Edgeworth and R. A. Fisher on the efficiency of maximum likelihood estimation 501–514
RAGHAVARAO, D., KHATRI, C. G. AND SHAH, K. R. Optimality of two and three factor designs 419–422
RAKTOE, B. L., PESOTAN, H. AND SRIVASTAVA, J. N. On invariance and randomization in fractional replication 423–430
RAO, C. RADHAKRISHNA. Characterization of prior distributions and solution to a compound decision problem 823–835
RAO, C. RADHAKRISHNA. Estimation of parameters in a linear model 1023–1037
RIZVI, M. HASEEB, SOLOMON, HERBERT AND ALAM, KHURSHEED. Selection of largest multiple correlation coefficients: exact sample size case 614–620
ROBINSON, G. K. Properties of Student's t and of the Behrens-Fisher solution to the two means problem 963–971
RÜSCHENDORF, LUDGER. Hypotheses generating groups for testing multivariate symmetry 791–795
RÜSCHENDORF, LUDGER. Asymptotic distributions of multivariate rank order statistics 912–923
SÄRNDAL, CARL ERIK. On uniformly minimum variance estimation in finite populations 993–997
SAVAGE, LEONARD J. On rereading R. A. Fisher. Discussion by B. Efron, C. Eisenhart, B. de Finetti, D. A. S. Fraser, V. P. Godambe, I. J. Good, O. Kempthorne and Stephen Stigler 441–500
SAXENA, K. M. LAL. Distribution-free tolerance intervals for stochastically ordered distributions 1210–1218
SEELY, JUSTUS, BIRKES, DAVID AND DODGE, YADOLAH. Spanning sets for estimable contrasts in classification models 86–107

SEELY, JUSTUS, BIRKES, DAVID AND OLSEN, ANTHONY. Invariant quadratic unbiased estimation for two variance components 878–890
SEN, PRANAB KUMAR. Weak convergence of progressively censored likelihood ratio statistics and its role in asymptotic theory of life testing 1247–1257
SEN, P. K. AND GHOSH, B. K. Comparison of some bounds in estimation theory 755–765
SHAH, K. R., RAGHAVARAO, D. AND KHATRI, C. G. Optimality of two and three factor designs 419–422
SHAMAN, PAUL. Approximations for stationary covariance matrices and their inverses with application to ARMA models 292–301
SHIRAHATA, SHINGO. On the asymptotic normality of rank statistics for the two-sample problem 400–405
SHIRAHATA, SHINGO. Tests for independence in infinite contingency tables 542–553
SHIRAKURA, TERUHIRO. Optimal balanced fractional 2^m factorial designs of resolution VII, $6 \leqq m \leqq 8$ 515–531
SHIRAKURA, TERUHIRO. Balanced fractional 2^m factorial designs of even resolution obtained from balanced arrays of strength $2l$ with index $\mu_l = 0$ 723–735
SHORROCK, R. W. AND ZIDEK, J. V. An improved estimator of the generalized variance 629–638
SIEGMUND, D. Importance sampling in the Monte Carlo study of sequential tests 673–684
SIEVERS, GERALD L. Probabilities of large deviations for empirical measures 766–770
SIMAR, LÉOPOLD. Maximum likelihood estimation of a compound Poisson process 1200–1209
SIMONS, GORDON. An improved statement of optimality for sequential probability ratio tests 1240–1243
SIMONS, GORDON, EISENBERG, BENNETT AND GHOSH, B. K. Properties of generalized sequential probability ratio tests 237–251
SINGH, JAGBIR. A note on paired comparison rankings 651–654
SINGH, R. S. Empirical Bayes estimation with convergence rates in non-continuous Lebesgue exponential families 431–439
SKIBINSKY, MORRIS. Sharp upper bounds for probability on an interval when the first three moments are known 187–213
SOLOMON, HERBERT, ALAM, KHURSHEED AND RIZVI, M. HASEEB. Selection of largest multiple correlation coefficients: exact sample size case 614–620
SPRUILL, M. C. Cell selection in the Chernoff-Lehmann chi-square statistic 375–383
SPRUILL, M. C. A comparison of chi-square goodness-of-fit tests based on approximate Bahadur slope 409–412

SRIVASTAVA, J. N., RAKTOE, B. L. AND PESOTAN, H. On invariance and randomization in fractional replication 423–430

STAUDTE, R. G., JR. AND KOUL, HIRA LAL. Power bounds for a Smirnov statistic in testing the hypothesis of symmetry 924–935

STEPHENS, M. A. Asymptotic results for goodness-of-fit statistics with unknown parameters 357–369

STIGLER, STEPHEN. Discussion of "On rereading R. A. Fisher" by Leonard J. Savage 498–500

STRAWDERMAN, W. E., BROWN, L. D. AND COHEN, ARTHUR. A complete class theorem for strict monotone likelihood ratio with applications 712–722

STUDDEN, W. J. AND KIEFER, J. Optimal designs for large degree polynomial regression 1113–1123

STUDDEN, WILLIAM J. AND TSAY, JIA-YEONG. Remez's procedure for finding optimal designs 1271–1279

TAYLOR, JOHN B. AND ANDERSON, T. W. Strong consistency of least squares estimates in normal linear regression 788–790

THOMAS, JOHN B., TYAN, SHU-GWEI AND DERIN, HALUK. Two necessary conditions on the representation of bivariate distributions by polynomials 216–222

TSAY, JIA-YEONG AND STUDDEN, WILLIAM J. Remez's procedure for finding optimal designs 1271–12.9

TYAN, SHU-GWEI, DERIN, HALUK AND THOMAS, JOHN B. Two necessary conditions on the representation of bivariate distributions by polynomials 216–222

VAN NESS, JOHN W. AND CLINGER, WILLIAM. On unequally spaced time points in time series 736–745

VAN HOUWELINGEN, J. C. Monotone empirical Bayes tests for the continuous one-parameter exponential family 981–989

VAN ZUYLEN, M. C. A. Some properties of the empirical distribution function in the non-i.i.d. case 406–408

VAN ZWET, W. R., ALBERS, W. AND BICKEL, P. J. Asymptotic expansions for the power of distribution free tests in the one-sample theorem 108–156

WHITT, WARD. Bivariate distributi ons with given marginals 1280–1289

WIEAND, HARRY S. A condition under which the Pitman and Bahadur approaches to efficiency coincide 1003–1011

ZIDEK, J. V. AND SHORROCK, R. W. An improved estimator of the generalized variance 629–638

ZIMMER, W. J. AND DEELY, J. J. Asymptotic optimality of the empirical Bayes procedure 576–580

BOOK REVIEW

HABERMAN, SHELBY J. Review of *Discrete Multivariate Analysis: Theory and Practice*, by Y. M. M. Bishop, S. E. Fienberg and P. W. Holland 817–820

CORRECTION NOTES

COHEN, ARTHUR AND SACKROWITZ, HAROLD B. Correction to "On estimating the common mean of two normal distributions" 1294
Correction to "Contents of Volume 2" 440
GOODMAN, LEO A. Correction to "Simultaneous confidence intervals for contrasts among multinomial populations" 821
GHOSH, MALAY AND SEN, PRANAB KUMAR. Correction to "Sequential rank tests for location" 821
NIGAM, A. K. Correction to "Block designs for mixture experiments" ... 1294–1295
SACKROWITZ, HAROLD B. AND COHEN, ARTHUR. Correction to "On estimating the common mean of two normal distributions" 1294
SEN, PRANAB KUMAR AND GHOSH, MALAY. Correction to "Sequential rank tests for location" 821